



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/768,263	01/30/2004	Kenneth Ray Ward	09401-0104	5953
3490	7590	01/25/2007		
DOUGLAS T. JOHNSON MILLER & MARTIN 1000 VOLUNTEER BUILDING 832 GEORGIA AVENUE CHATTANOOGA, TN 37402-2289			EXAMINER KIM, CHRISTOPHER S	
			ART UNIT	PAPER NUMBER
			3752	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		01/25/2007	PAPER	

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

## Office Action Summary

Application No.

10/768,263

Applicant(s)

WARD ET AL.

Examiner

Christopher S. Kim

Art Unit

3752

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 30 November 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Response to Amendment***

1. The reply filed November 30, 2006 is acknowledged.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### ***Claim Rejections - 35 USC § 102***

3. Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Hinchman (2,517,877).

Hinchman discloses an adjustable gas nozzle comprising: a nozzle body member 8; a conduit 7; an adjusting member 25, 26 having a first end 25 with a first restricted orifice (orifice of 29 upstream of 27) and a second end 26; a second orifice 33; a first passageway 29,33; a coupling 16; a by-pass passageway 18; cooperative surfaces 19, 27; cooperating means 12, 32; a seal 15.

### ***Claim Rejections - 35 USC § 103***

4. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ridenour (5,025,990) in view of Campbell (4,095,749).

Ridenour discloses an adjustable gas nozzle comprising: a nozzle body member 12; a conduit 13; an adjustment member 14; a coupling 13 (threads); a by-pass passageway 35; cooperative surfaces 22,25; cooperating means 31, 32.

Ridenour differs from what is being claimed in the seal being distinct from the coupling. Campbell teaches an O-ring seal in annular groove 29 between the coupling 30 and outlet 42. It would have been obvious to a person having ordinary skill in the art at the time of the invention to have provided the O-ring of Campbell to the device of Ridenour to prevent leaks.

### ***Response to Arguments***

5. Applicant's arguments filed November 30, 2006 have been fully considered but they are not persuasive.

Applicant asserts that only claim 1 appears to have been analyzed by the Office action. Applicant is mistaken. Due to the limited time allotted for examination, the Examiner is unable to reproduce all the claims and address each and every limitation. The Examiner has identified the major elements of the claimed invention and assumed that applicant, as one of ordinary skill in the art, is able to read the references for himself.

Applicant argues that additional flow of gas is provided through the restricted orifice and the by-pass passageway in the second passage. The claims recite, "...to permit a second gas flow of an amount greater than said first gas flow..." Hinchman does not disclose by-pass passageway 18 as being sealed. Therefore, the by-pass passageway 18 has the ability to permit a second gas flow of an amount greater than the first gas flow. Additionally, while features of an apparatus may be recited either

structurally or functionally, claims directed to an apparatus must be distinguished from the prior art in terms of structure rather than function. See MPEP 2114.

Applicant's arguments directed to Ridenour have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***


6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571) 272-4905. The examiner can normally be reached on Monday - Thursday, 6:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Christopher S. Kim  
Primary Examiner  
Art Unit 3752

CK